

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 1 Nov 2022

Print date: 1 Nov 2022

Version: 1.3

**TPH.**  
waterproofing systems

## PUR-O-STOP SL A-Komponente

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

**PUR-O-STOP SL A-Komponente**

UFI:

UFC7-XMRA-NOGM-E06N

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

No data available

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

**TPH Bausysteme GmbH**

Nordportbogen 8

22848 Norderstedt

Germany

**Telephone:** +49 40 52 90 66 78-0

**Telefax:** +49 40 52 90 66 78-78

**E-mail:** info@tph-bausysteme.com

**Website:** www.tph-bausysteme.com

**E-mail (competent person):** sdb-info@tph-bausysteme.com

#### 1.4. Emergency telephone number

24h: International access phone number: +1-813-248-0585 /// United States, Canada, Puerto Rico, U.S. Virgin Islands: 1-800-255-3924 (Contract No. MIS7249185) /// Australia: 1-300-954-583 /// Brazil: 0-800-591-6042 /// China: 400-120-0751 /// India: 000-800-100-4086 /// Mexico: 800-099-0731

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	Calculation method.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS07**

Exclamation mark

**Signal word:** Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 1 Nov 2022

Print date: 1 Nov 2022

Version: 1.3



## PUR-O-STOP SL A-Komponente

### Hazard components for labelling:

1,4-diazabicyclooctane

#### Hazard statements for health hazards

H319	Causes serious eye irritation.
------	--------------------------------

### Supplemental hazard information: none

#### Precautionary statements Prevention

P264	Wash hands thoroughly after handling.
------	---------------------------------------

P280	Wear protective gloves/protective clothing and eye/face protection.
------	---

#### Precautionary statements Response

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
--------------------	--

P337 + P313	If eye irritation persists: Get medical advice/attention.
-------------	---

### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 108-65-6 EC No.: 203-603-9 Index No.: 607-195-00-7 REACH No.: 01-2119475791-29-XXXX	<b>2-methoxy-1-methylethyl acetate</b> Flam. Liq. 3 (H226) <b>Warning</b>	0.5 - < 2 weight-%
CAS No.: 280-57-9 EC No.: 205-999-9 REACH No.: 01-2119980944-22-XXXX	<b>1,4-diazabicyclooctane</b> Acute Tox. 4 (H302), Eye Dam. 1 (H318), Flam. Sol. 1 (H228), Skin Irrit. 2 (H315) <b>Danger</b>	0 - ≤ 1 weight-%
CAS No.: 246538-76-1 EC No.: 918-167-1 REACH No.: 01-2119472146-39-XXXX	<b>Hydrocarbons, C11-C12, isoalkanes, &lt;2% aromatics</b> Aquatic Chronic 4 (H413), Asp. Tox. 1 (H304) <b>Danger</b>	< 0.5 weight-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

#### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 1 Nov 2022

Print date: 1 Nov 2022

Version: 1.3



## PUR-O-STOP SL A-Komponente

### Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

### Self-protection of the first aider:

Use personal protection equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Extinguishing powder Carbon dioxide (CO<sub>2</sub>) Water spray jet

#### Unsuitable extinguishing media:

Full water jet

### 5.2. Special hazards arising from the substance or mixture

#### Hazardous combustion products:

In case of fire: Gases/vapours, toxic

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Remove persons to safety.

##### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 1 Nov 2022

Print date: 1 Nov 2022

Version: 1.3



## PUR-O-STOP SL A-Komponente

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Protective measures

##### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

##### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

#### 7.3. Specific end use(s)

No data available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
VRC (FR)	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (peut être absorbé par la peau)
BE	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (peut être absorbé par la peau) D
CZ	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 49.14 ppm (270 mg/m <sup>3</sup> ) ② 100.1 ppm (550 mg/m <sup>3</sup> ) ⑤ (může pronikat pokožkou) D, I
TRGS 900 (DE)	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (270 mg/m <sup>3</sup> ) ② 50 ppm (270 mg/m <sup>3</sup> ) ⑤ DFG, EU, Y
PL	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 260 mg/m <sup>3</sup> ② 520 mg/m <sup>3</sup> ⑤ (może przenikać przez skórę do organizmu) skóra
NO	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (270 mg/m <sup>3</sup> ) ⑤ (kan absorberes gjennom huden) HE
IE	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (may be absorbed through the skin) SK, IOELV
HTP (FI)	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (270 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (kan absorberas genom huden) iho
DK	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (kan optages gennem huden) EH

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 1 Nov 2022

Print date: 1 Nov 2022

Version: 1.3



## PUR-O-STOP SL A-Komponente

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
LT	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (250 mg/m <sup>3</sup> ) ② 75 ppm (400 mg/m <sup>3</sup> ) ⑤ (tikėtinas įsisavinimas per odą) O
SE	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (kan absorberas genom huden)
NPEL (SK)	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (rátajte so vstrebávaním cez pokožku) K
MAK (AT)	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (max. 8x5 min./Schicht, Momentanwert, kann über die Haut aufgenommen werden) H
BG	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (трябва да се очаква абсорбиране през кожата)
HR	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (mora se uzeti u obzir prodiranje kroz kožu) koža
ES	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (puede ser absorbido a través dérmica) vía dérmica, VLI
RO	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (e de așteptat asimilarea prin piele) P
EE	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (naha kaudu kergesti absorbeeruvad ained) A, S
LV	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (var absorbēt caur ādu) Āda
BC (CA)	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm ② 75 ppm
IOELV (EU)	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (may be absorbed through the skin)
Ontario (CA)	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (270 mg/m <sup>3</sup> )
MAK (AT)	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ⑤ (kann über die Haut aufgenommen werden) H
WEL (GB)	2-methoxy-1-methylethyl acetate <b>CAS No.:</b> 108-65-6 <b>EC No.:</b> 203-603-9	① 50 ppm (274 mg/m <sup>3</sup> ) ② 100 ppm (548 mg/m <sup>3</sup> ) ⑤ (may be absorbed through the skin)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 1 Nov 2022

Print date: 1 Nov 2022

Version: 1.3



## PUR-O-STOP SL A-Komponente

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
SI	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (računati je treba z možnostjo prodiranja skozi kožo) K, Y, EU1
HU	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 275 mg/m <sup>3</sup> ② 550 mg/m <sup>3</sup> ⑤ N
IS	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (efnið getur auðveldlega borist inn í líkamann gegnum húð) H
CH	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 50 ppm (275 mg/m <sup>3</sup> ) ⑤ SSC; Tox: OAW
RU	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	③ 10 mg/m <sup>3</sup>
GR	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (αναμένετε απορρόφηση από το δέρμα)
NL	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 550 mg/m <sup>3</sup>
TR	2-methoxy-1-methylethyl acetate CAS No.: 108-65-6 EC No.: 203-603-9	① 50 ppm (275 mg/m <sup>3</sup> ) ② 100 ppm (550 mg/m <sup>3</sup> ) ⑤ (cilt yoluyla alınabilir) Deri
Ontario (CA)	1,4-diazabicyclooctane CAS No.: 280-57-9 EC No.: 205-999-9	① 1 ppm (4.6 mg/m <sup>3</sup> ) ⑤ (may be absorbed through the skin) Skin
RU	1,4-diazabicyclooctane CAS No.: 280-57-9 EC No.: 205-999-9	③ 1 mg/m <sup>3</sup>
TRGS 900 (DE)	Hydrocarbons, TRGS 900	① 0 mg/m <sup>3</sup> ⑤ Mass fraction (wt %): 0

### 8.1.2. Biological limit values

No data available

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
1,4-diazabicyclooctane CAS No.: 280-57-9 EC No.: 205-999-9	1.2 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
1,4-diazabicyclooctane CAS No.: 280-57-9 EC No.: 205-999-9	3.6 mg/m <sup>3</sup>	① DNEL worker ② Acute - inhalation, systemic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 1 Nov 2022

Print date: 1 Nov 2022

Version: 1.3



## PUR-O-STOP SL A-Komponente

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No data available

#### 8.2.2. Personal protection equipment

##### Eye/face protection:

Eye glasses with side protection EN 166

##### Skin protection:

Tested protective gloves must be worn EN ISO 374 Breakthrough times and swelling properties of the material must be taken into consideration.

#### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** colourless

**Odour:** odourless

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	<i>not determined</i>		
Melting point	<i>not determined</i>		
Freezing point	<i>not determined</i>		
Initial boiling point and boiling range	<i>not determined</i>		
Decomposition temperature	<i>not determined</i>		
Flash point	<i>not determined</i>		
Evaporation rate	<i>not determined</i>		
Auto-ignition temperature	<i>not determined</i>		
Upper/lower flammability or explosive limits	<i>not determined</i>		
Vapour pressure	<i>not determined</i>		
Vapour density	<i>not determined</i>		
Density	≈ 1.03 g/cm <sup>3</sup>	23 °C	
Relative density	<i>not determined</i>		
Bulk density	<i>not determined</i>		
Water solubility	<i>not determined</i>		
Partition coefficient: n-octanol/water	<i>not determined</i>		
Dynamic viscosity	≈ 200 mPa·s	23 °C	① DIN EN ISO 2555
Kinematic viscosity	<i>not determined</i>		

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

No data available

### 10.3. Possibility of hazardous reactions

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 1 Nov 2022

Print date: 1 Nov 2022

Version: 1.3



## PUR-O-STOP SL A-Komponente

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

No data available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>1,4-diazabicyclooctane</b> CAS No.: 280-57-9 EC No.: 205-999-9
LD <sub>50</sub> oral: 50 mg/kg (Rat)
LD <sub>50</sub> dermal: >2,000 mg/kg (Rabbit)
<b>2-methoxy-1-methylethyl acetate</b> CAS No.: 108-65-6 EC No.: 203-603-9
LD <sub>50</sub> oral: 6,190 mg/kg (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Causes serious eye irritation.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

#### Additional information:

No data available

### 11.2. Information on other hazards

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 1 Nov 2022

Print date: 1 Nov 2022

Version: 1.3



## PUR-O-STOP SL A-Komponente

### SECTION 12: Ecological information

#### 12.1. Toxicity

<b>1,4-diazabicyclooctane</b> CAS No.: 280-57-9 EC No.: 205-999-9
LC <sub>50</sub> : 681 mg/L 4 d (fish, <i>Leuciscus idus</i> (golden orfe)) DIN 38412 T.15)
EC <sub>50</sub> : >100 mg/L 2 d ( <i>Daphnia magna</i> (Big water flea)) OECD 202
EC <sub>50</sub> : 110 mg/L 3 d (Algae/water plant, <i>Pseudokirchneriella subcapitata</i> ) OECD 201
EC <sub>50</sub> : 356 mg/L ( <i>Pseudomonas putida</i> ) DIN 38412 T.8, 17h
<b>2-methoxy-1-methylethyl acetate</b> CAS No.: 108-65-6 EC No.: 203-603-9
LC <sub>50</sub> : 130 mg/L 4 d (fish, <i>Oncorhynchus mykiss</i> (Rainbow trout))
LC <sub>50</sub> : 408 mg/L 2 d ( <i>Daphnia magna</i> (Big water flea))

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

<b>1,4-diazabicyclooctane</b> CAS No.: 280-57-9 EC No.: 205-999-9
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>2-methoxy-1-methylethyl acetate</b> CAS No.: 108-65-6 EC No.: 203-603-9
<b>Results of PBT and vPvB assessment:</b> —

#### 12.6. Endocrine disrupting properties

No data available

#### 12.7. Other adverse effects

No data available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

07 02 08 \* other still bottoms and reaction residues

\*: Evidence for disposal must be provided.

#### Waste treatment options

##### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 1 Nov 2022

Print date: 1 Nov 2022

Version: 1.3



## PUR-O-STOP SL A-Komponente

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

No data available

#### 15.1.2. National regulations

##### [DE] National regulations

#### Water hazard class

##### WGK:

1 - schwach wassergefährdend

##### [DK] National regulations

#### Other regulations, restrictions and prohibition regulations

MAL-kode (Denmark): 00-3

### 15.2. Chemical Safety Assessment

No data available

## SECTION 16: Other information

### 16.1. Indication of changes

No data available

### 16.2. Abbreviations and acronyms

No data available

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	Calculation method.

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 1 Nov 2022

**Print date:** 1 Nov 2022

**Version:** 1.3



## PUR-O-STOP SL A-Komponente

### Hazard statements

H318	Causes serious eye damage.
H413	May cause long lasting harmful effects to aquatic life.

### 16.6. Training advice

No data available

### 16.7. Additional information

No data available